


FLOREO VR

















THE GOGGLES SHOULD FEEL COMFORTABLE ON YOUR HEAD




THE GOGGLES ARE BIG ENOUGH TO WEAR YOUR GLASSES UNDERNEATH IF NEEDED



IF THE GOGGLES FEEL A LITTLE HEAVY, YOU CAN HOLD THEM UP WITH YOUR HANDS







YOU CAN USE FLOREO STANDING UP

--


OR SITTING DOWN









WHAT ARE THE UNWANTED SIDE EFFECTS?








IF ANY OF THESE HAPPEN, JUST TAKE THE GOGGLES OFF!
YOU SHOULD FEEL BETTER AFTER JUST A MINUTE OR TWO






WHENEVER YOU LOOK AT A SCREEN CLOSE TO YOUR EYES, YOUR EYES HAVE THE CHANCE OF GETTING TIRED



IT CAN HAPPEN IF YOU SIT TOO CLOSE TO THE TV



IT CAN HAPPEN IF YOU WEAR VR GOGGLES FOR TOO LONG



YOUR EYES CAN GET EXTRA TIRED IF YOU ALREADY HAVE SOME PROBLEMS FOCUSING YOUR EYES IN REAL LIFE**

** THIS INCLUDES PROBLEMS SUCH AS STRABISMUS OR CONVERGENCE INSUFFICIENCY



SOMETIMES, SOMEONE USING VR MIGHT FEEL QUEASY. THIS CAN HAPPEN IF THE VR WORLD STARTS TO MOVE AND IN THE REAL WORLD, THE PERSON IS SITTING STILL

IT CAN ALSO HAPPEN
IF YOU MOVE YOUR
HEAD TOO QUICKLY IN
THE VR WORLD. IT
COULD GIVE YOU A
HEADACHE





MOST OF THE TIME IN FLOREO, YOU STAY IN ONE PLACE IN THE LESSON. THIS SHOULD KEEP YOUR STOMACH AND YOUR HEAD FEELING PRETTY GOOD. BUT...


IF YOU START TO FEEL A QUEASY STOMACH OR A HEADACHE...


JUST TAKE THE GOGGLES OFF!












IF YOU FEEL LIKE CLOSING YOUR EYES, ARE BLINKING A LOT, OR ARE SQUINTING...



JUST TAKE THE GOGGLES OFF!

FOLLOW THE INSTRUCTIONS TO TAKE THE GOGGLES OFF AFTER 7 MINUTES.



GIVE YOUR EYES A BREAK

..EVEN IF YOU ARE FELING OKAY!



IF YOU EVER FEEL UNCOMFORTABLE, FEEL FREE TO TAKE THE GOGGLES OFF!



AND DON'T FORGET TO HAVE FUN!



VIRTUAL REALITY CAN BE A FUN EXPERIENCE FOR MOST PEOPLE, BUT IT IS NOT FOR EVERYONE. DON'T USE IMMERSIVE VR IF YOU SUFFER FROM EPILEPSY, MIGRAINES, VERTIGO, OR PSYCHOSIS. THE VR EXPERIENCE COULD EXACERBATE YOUR SYMPTOMS